



■ ■ ■ FEATURES + BENEFITS

SAMSUNG LED TECHNOLOGY	<ul style="list-style-type: none"> Improved lumen maintenance with over 50,000 hour lamp life High lumen output with lower wattage consumption
UP TO 845 LUMENS IN EMERGENCY MODE AND NORMALLY ON	<ul style="list-style-type: none"> Greater fixture to fixture spacing Up to 60' spacing on center Cost savings as less units are required
INTERCHANGEABLE OPTICS	<ul style="list-style-type: none"> Custom designed to deliver maximum output Choice of symmetric or asymmetric distribution
SURFACE & RECESSED MOUNTING	<ul style="list-style-type: none"> Suitable for use in a variety of environments
HT, SA & SE CONFIGURATIONS	<ul style="list-style-type: none"> Provides lighting in normal conditions as well as in power outages Unique option to have one fixture for all your lighting requirements
NI-MH BATTERIES	<ul style="list-style-type: none"> Provides 90 or 120 minute emergency duration Maintenance free long life
AUTO-TEST SELF-DIAGNOSTICS	<ul style="list-style-type: none"> Intelligent communication with continuous status updates Option to manually run a 30 second, 15 minute or 90 minute test
NEW OR RETROFIT RECESSED CONSTRUCTION	<ul style="list-style-type: none"> Expands installation areas Suitable for shallow plenum ceilings
NEMA 4X MODEL	<ul style="list-style-type: none"> Protection against moisture, dust and corrosion For installation both indoors or outdoor
HAZARDOUS CLASSIFICATION	<ul style="list-style-type: none"> Class I, Division 2, Groups A-D, Class II, Division 2, Groups E-G and Class III For areas with explosive gas or dust